


**Retail Price List - Effective August 1, 2019**

<b>Stand Alone Digital Sounders</b> (uses CX transducers sold separately)		List Price
<b>CVS-126</b> - Dual Frequency 600 Watt, 5.7" Color TFT LCD Digital Sonar System		\$699.00
<b>SVS-760</b> - Dual Frequency 600 Watt, 7" Color TFT LCD Digital Sonar System		\$749.00
<b>CVS-128</b> - Dual Frequency 1 kW or 600W, 8.4" Color TFT LCD Digital Sonar - with (KDF) Koden Digital Filtering System		\$1,699.00
<b>CVS-1410</b> - Dual Frequency 1 kW or 600w 10.4" Color TFT LCD Digital Sonar - with (KDF) Koden Digital Filtering System		\$2,299.00
<b>650MBL</b>	Optional overhead mounting Bracket for SVS-760, 750, & 650 series displays	\$26.95
<b>Digital A Cable</b>	Adapts ALL versions of the CVS-106 50/200 dual freq. transducers to units that use the CX type Txds	\$49.95
<b>Digital F Cable</b>	Converts Furuno Dual Freq. txd. with 10 pin connector to units that use the CX 8 pin type Txd.	\$129.95
<b>Multiplex Box-CX</b>	Converts dual element dual-freq. Txd. of older sounders to units that use the CX type Txd.	\$150.00
<b>Digital Sounder / Chart / GPS Combination Units</b> (Uses CX transducers sold separately)		List Price
<b>SVS-560CF</b> - GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD system incl. INTERNAL GPS Ant. & Navionics + Card		\$699.00
<b>SVS-560CFE</b> - GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD system incl. Internal & EXTERNAL GPS Ant. & Navionics + Card		\$749.00
<b>SVS-760CF</b> - GPS Chart - Dual Freq. 600W Digital Sonar System, 7" Color LCD system incl. EXTERNAL GPS Ant. & Navionics + Card		\$999.00
<b>SVS-880CF</b> - GPS Chart - Dual Freq. 600W Digital Sonar System, 8" Color LCD system incl. INTERNAL GPS Ant. & Navionics + Card		\$1,199.00
<b>SVS-880CFE</b> - GPS Chart - Dual Freq. 600W Digital Sonar System, 8" Color LCD system incl. Internal & EXTERNAL GPS Ant. & Navionics + Card		\$1,249.00
<b>SVS-1010CF</b> - GPS Chart - Dual Freq. 600W Digital Sonar System, 10" Color LCD system incl. INTERNAL GPS Ant. & Navionics + Card		\$1,799.00
<b>SVS-1010CFE</b> - GPS Chart - Dual Freq. 600W Digital Sonar System, 10" Color LCD system incl. Internal & EXTERNAL GPS Ant. & Navionics + Card		\$1,849.00
<b>CX Transducers for the CVS Series, SVS Series, and NavStar Series of Chart Sounders</b>		
600W Transom w/temp and speed (Beam angle: 45° @ 50kHz, 11° @ 200kHz)	<b>250/50/200ST-CX</b>	\$150.00
600W Bronze TH w/ temp 45° @ 50kHz, 11° @ 200kHz	<b>1700/50/200T-CX</b>	\$170.00
600W Bronze thru-hull w/ Temp incl. Hi-Spd Fairing Block (Beam angle: 45° @ 50kHz, 12° @ 200kHz)	<b>B45/50/200T-CX</b>	\$250.00
600W Bronze thru-hull w/temp only (Beam angle: 22°x45° @ 50kHz, 6°x11° @ 200kHz)	<b>307/50/200T-CX</b>	\$270.00
600W Bronze 0° tilt-element w/temp for 0° to 7° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	<b>B-60-0-CX</b>	\$280.00
600W Bronze 12° tilt-element w/temp for 8° to 15° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	<b>B-60-12-CX</b>	\$280.00
600W Bronze 20° tilt-element w/temp for 16° to 24° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	<b>B-60-20-CX</b>	\$280.00
600W Bronze thru-hull w/Speed & Temperature (Dual Stem) (Beam angle: 45° @ 50kHz, 11° @ 200kHz)	<b>500/50/200ST-CX</b>	\$300.00
600W Bronze thru-hull w/Spd. & Temp. includes Hi-Spd Fairing (Beam angle: 45° @ 50kHz, 12° @ 200kHz)	<b>B744V-CX</b>	\$380.00
1kW, Transom w/temp and speed (Beam angle: 45° @ 50kHz, 11° @ 200kHz)	<b>250C/50/200ST-CX</b>	\$200.00
1kW, Bronze w/temp recommended for deep water use (Beam angle:14°x21°@50kHz,3°x5°@200kHz)	<b>707/50/200T-CX</b>	\$500.00
1kW. Bronze 0° tilt-element w/temp for 0° to 7° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)	<b>B-164-0-CX</b>	\$899.00
1kW. Bronze 12° tilt-element w/temp for 8° to 15° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)	<b>B-164-12-CX</b>	\$899.00
1kW. Bronze 20° tilt-element w/temp for 16° to 24° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)	<b>B-164-20-CX</b>	\$899.00
<b>Digital Sounder / Chart / GPS Combination Unit Accessories</b>		
<b>HD-1000R</b>	Wireless RF Remote for all SVS-880 and SVS-1010 Series products	\$150.00
<b>650MBL</b>	Optional overhead mounting Bracket for SVS-760, 750, & 650 series displays	\$26.95
<b>5511</b>	Power Cord for all SVS & NavStar Products	\$29.95
<b>SVS880FMK</b>	Flush Mount Bezel kit for all versions of the SVS-880's	\$39.95
<b>SVS1010FMK</b>	Flush Mount Bezel kit for all versions of the SVS-1010's	\$39.95
<b>GA-88</b>	Replacement External GPS Antenna for SVS & NavStar Series w/ 10 meter cable	\$59.95
<b>Stand Alone GPS Chart Systems</b>		List Price
<b>SVS-460C</b> GPS Standalone Chart Plotter System, 4" Color TFT LCD includes INTERNAL GPS Antenna & Navionics + Map Card		\$499.00
<b>SVS-460CE</b> GPS Standalone Chart Plotter System, 4" Color TFT LCD includes Internal & EXTERNAL GPS Antenna & Navionics + Map Card		\$549.00
<b>SVS-760C</b> GPS Standalone Chart Plotter System, 7" Color TFT LCD includes EXTERNAL GPS Antenna & Navionics + Map Card		\$799.00
<b>SVS-880C</b> GPS Standalone Chart Plotter System, 8" Color TFT LCD includes INTERNAL GPS Antenna & Navionics + Map Card		\$999.00
<b>SVS-880CE</b> GPS Standalone Chart Plotter System, 8" Color TFT LCD includes Internal & EXTERNAL GPS Antenna & Navionics + Map Card		\$1,049.00
<b>SVS-1010C</b> GPS Standalone Chart Plotter System, 10" Color TFT LCD includes INTERNAL GPS Antenna & Navionics + Map Card		\$1,599.00
<b>SVS-1010CE</b> GPS Standalone Chart Plotter System, 10" Color TFT LCD includes Internal & EXTERNAL GPS Antenna & Navionics + Card		\$1,649.00
<b>NavStar Multi-Function Chart systems w/WIFI</b> (uses CX transducers sold seperatly)		
<b>Navstar 10</b> GPS Chart Plotter/Sonar/Radar System, 10" Color Touchscreen TFT XGA LCD with Internal GPS Antenna		\$2,399.00
<b>Navstar 12</b> GPS Chart Plotter/Sonar/Radar System, 12" Color Touchscreen TFT XGA LCD with Internal GPS Antenna		\$2,999.00
<b>Navstar 10R</b> Complete with MDS-12 4kw radome, GPS Chart Plotter/Sonar/Radar System, 10" Color Touchscreen TFT XGA LCD with Inter. GPS Ant		\$4,099.00
<b>Navstar 12R</b> Complete with MDS-12 4kw Radome, GPS Chart Plotter/Sonar/Radar System, 12" Color Touchscreen TFT XGA LCD with Inter. GPS Ant		\$4,798.00
<b>MDS-12</b> 4kw Hi-Resolution Digital Radar, 24" radome w/ 10 meter cable, for use with NavStar 10 & 12 MFD's		\$1,799.00


**Retail Price List - Effective August 1, 2019**

<b>NavPro Series Multi-Function Chart Plotters w/ WIFI</b>		List Price
<b>NavPro 900 w/WIFI</b>	9" Touch Screen GPS/Chart plotter with WIFI, Includes C-Map 4D Card, all Cables & Int. GPS Ant.	\$1,199.00
<b>NavPro 900F w/WIFI</b>	9" Touch Screen GPS/Chart plotter with built-in <b>CHIRP</b> Sounder, Includes C-Map 4D Card, WIFI, all Cables & Int. GPS Ant.	\$1,399.00
<b>NavPro 1200 w/WIFI</b>	12" Touch Screen GPS/Chart plotter with WIFI, Includes C-Map 4D Card, all Cables & Int. GPS Ant.	\$2,399.00
<b>NavPro 1200F w/WIFI</b>	12" Touch Screen GPS/Chart plotter with built-in <b>CHIRP</b> Sounder, Includes C-Map 4D Card, WIFI, all Cables & Int. GPS Ant.	\$2,599.00
<b>Explorer NavPro WIFI</b>	Black Box Combination plotter with multi-function options and WIFI. HDMI type video output, with All accessory cables. No GPS Antenna	\$799.00
<b>Explorer Navpro WIFI -W</b>	Black Box Combination plotter with multi-function options and WIFI. HDMI type video output, with All accessory cables. includes GPK-11 Smart GPS Antenna	\$1,059.00
<b>ENP-REMOTE</b>	Optional Full Function Remote control works with all NavPro Series units	\$150.00
<b>GPK-11C External Antenna</b>	Optional 72 Channel External GPS Smart Antenna for all NavPro Series units	\$259.00
<b>Digital C Cable</b>	Adapts ALL versions of the CVS-106 Transducers to units that use the new CHIRP Transducers	\$49.95
<b>Digital D Cable</b>	Adapts ALL versions of the CX Transducers to units that use the new CHIRP Transducers	\$59.95
<b>Digital E Cable</b>	Adapts Furuno 10 pin Transducer connector to units that use the new CHIRP Transducers	\$129.95
<b>CHIRP Transducers for the NavPro Series</b>		
<b>SITEX B150M-0</b>	300 watt, Frequency 95 - 155 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$375.00
<b>SITEX B150M-12</b>	300 watt, Frequency 95 - 155 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$375.00
<b>SITEX B150M-20</b>	300 watt, Frequency 95 - 155 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$375.00
<b>SITEX TM150M</b>	300 watt, Frequency 95 - 155 kHz Transom mount	\$325.00
<b>SITEX B75L-0</b>	600 watt, Frequency 40 - 75 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$750.00
<b>SITEX B75L-12</b>	600 watt, Frequency 40 - 75 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$750.00
<b>SITEX B75L-20</b>	600 watt, Frequency 40 - 75 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$750.00
<b>SITEX B75M-0</b>	600 watt, Frequency 80 - 130 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$800.00
<b>SITEX B75M-12</b>	600 watt, Frequency 80 - 130 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$800.00
<b>SITEX B75M-20</b>	600 watt, Frequency 80 - 130 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$800.00
<b>SITEX B75H-0</b>	600 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$750.00
<b>SITEX B75H-12</b>	600 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$750.00
<b>SITEX B75H-20</b>	600 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$750.00
<b>SITEX B175L-0</b>	1000 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$1,400.00
<b>SITEX B175L-12</b>	1000 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$1,400.00
<b>SITEX B175L-20</b>	1000 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$1,400.00
<b>SITEX B175M-0</b>	1000 watt, Frequency 85 - 135 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$1,400.00
<b>SITEX B175M-12</b>	1000 watt, Frequency 85 - 135 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$1,400.00
<b>SITEX B175M-20</b>	1000 watt, Frequency 85 - 135 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$1,400.00
<b>SITEX B175HW-0</b>	1000 watt, Frequency 150 - 250 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise, Wide beam	\$1,450.00
<b>SITEX B175HW-12</b>	1000 watt, Frequency 150 - 250 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise, Wide beam	\$1,450.00
<b>SITEX B175HW-20</b>	1000 watt, Frequency 150 - 250 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise, Wide beam	\$1,450.00
<b>Large Format GPS Charting Systems</b>		
<b>TRAWLPLOT 12 SD</b>	Professional Chart plotter with 12.1" daylight readable display. Large internal memory, Additional track storage on SD card slot. Includes GPK-11 smart sensor. Uses C-Map Max C-Card Format (Not included)	\$2,799.00
<b>LEGACY CHARTING SYSTEM ACCESSORIES</b>		List Price
<b>K10QDB001A</b>	Quick Disconnect Bracket for ColorMax 6, ColorMax Wide I and E	\$69.95
<b>CBCHMS0700</b>	Video Adapter Cable for all Explorer and Explorer Plus series units	\$29.95
<b>CBC0FS0804</b>	I/O and Power cable with 8-pin connector for All Sitex units using an 8 pin power cord.	\$29.95
<b>CBC0FS0301</b>	I/O and Power cable with 3-pin connector for Sitex ColorMax 15	\$29.95
<b>ES502D BLACK BOX FISHFINDER</b>	600w or 1kW Black Box Digital Sonar for Explorer Plus, ColorMax 15, and TrawlPlot 12 SD	\$349.00
<b>(Transducers for ES502D sold separately)</b>		
600W Transom w/speed & temp (Beam Angle: 42° @ 50kHz, 12° @ 200kHz)	492/50/200ST-ES	\$150.00
600W Plastic in-hull, depth only (Beam Angle: 45° @ 50kHz, 12° @ 200kHz)	494/50/200-ES	\$135.00
600W Bronze thru-hull w/speed & temp, F.B. included (Beam Angle: 45° @ 50kHz, 12° @ 200kHz)	496/50/200ST-ES	\$425.00
600W Bronze 0° tilt-element thru-hull w/temp for 0° to 7° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	B-60-0-ES	\$280.00
600W Bronze 12° tilt-element thru-hull w/temp for 8° to 15° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	B-60-12-ES	\$280.00
600W Bronze 20° tilt-element thru-hull w/temp for 16° to 24° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	B-60-20-ES	\$280.00
1000W, Bronze thru-hull w/Temp.,Hi-Spd. Fairing block included (Beam Angle: 14°x23° @ 50kHz, 3°x5° @ 200kHz)	189/50/200T-ES	\$800.00

<b>SITEX</b>		<b>Retail Price List - Effective August 1, 2019</b>	
<b>GPS Receivers</b>			List Price
<b>GPS-915</b>	GPS with Color LCD Display, built-in SBAS differential GPS receiver.		\$549.00
<b>GPK-11C Smart Antenna</b>	72 Channel, NMEA 0183 18Hz Output, GPS Smart Antenna		\$259.00
<b>SIT-5PC</b>	Power Cable for GPS-90MkII		\$29.95
<b>GA-08</b>	GPS Antenna w/ Coax Cable		\$150.00
<b>Satellite Compass Units &amp; Heading Sensors</b>			List Price
<b>VECTOR PRO G2</b>	GPS/GLONASS Sat. Compass, IMO Type approved, 1 to 20Hz Heading output, NMEA-1830 & NMEA-2000, incl. 15m serial cable		\$2,649.00
<b>VECTOR PRO G1</b>	GPS/GLONASS SAT. Compass, 1 to 20Hz Heading output, Heave, Pitch & Roll - NMEA-0183 & NMEA-2000, Incl. 15m serial cable		\$2,349.00
	Optional 30 Meter Serial Cable for Vector Pro-G1 & G2		\$225.00
<b>VECTOR Compact - S</b>	Worlds Smallest SAT. Compass, NMEA-0183 version, with position, heading, pitch, roll, & heave, incl. 15 meter NMEA-0183 serial cable		\$1,159.00
<b>VECTOR Compact - N</b>	Worlds Smallest SAT. Compass, Provides position, heading, pitch, roll, & heave, NMEA-2000 Version, N2K Cable not included		\$999.00
<b>HDK-11 Rate Compass</b>	3 Axis Rate Gyro Compass, NMEA0183 & 2000, up to 1° accuracy, includes NMEA-0183 Cable		\$799.00
	Optional 5m NMEA-2000 Cable for HDK-11 & CDK-11		\$69.95
<b>Automatic Identification Systems (AIS) &amp; VHF Transceivers</b>			List Price
<b>METADATA MDA-1 CLASS B AIS 2 watt Transceiver, HF-AIS, built in GPS Antenna. NMEA-0183, NMEA-2000, Serial &amp; USB</b>			\$699.00
	MDA-1-Ant - Optional External GPS Antenna		\$59.95
<b>METADATA MDA-2 DUAL CHANNEL PARRALEL AIS Receiver, NMEA-0183, NMEA-2000, Serial &amp; USB interfaces.</b>			\$329.00
<b>METADATA MDA-3: Metadata Zero Loss VHF Antenna splitter, Includes all cables &amp; output for FM broadcast receiver.</b>			\$279.00
<b>METADATA MDA-4 VHF-FM RADIOTELEPHONE: 25w fixed mount VHF/AIS/DSC Radio, features full DSC and AIS Receiver, 25w Hailer/Fog horn, NMEA-0183 &amp; NMEA-2000, Meets Mil Spec 810 Standard</b>			\$399.00
<b>MDA4CM: Command Mic Kit for MDA-4: Incl. Mic. &amp; 6m cable with bulkhead connector. 12m or 3m cables on request</b>			\$99.00
<b>MDA4GS: GPS Smart Antenna for MDA-4: Plug &amp; Play 66 Channel GPS Smart antenna</b>			\$59.00
<b>MDA4CM12: 40ft Command Mic Extension Cable</b>			\$24.99
<b>MDA-5: Hi-Power 5w SOTDMA Class B AIS Transceiver w/ Built-in Ant. Splitter, Long Range WIFI, NMEA-0183, NMEA-2000, Isolated USB, Complete with Internal &amp; External GPS Antennas. Also Includes 30 Day Voyage Data Recorder</b>			\$989.00
<b>SAS-300-1 : 7" Color LCD, 2w Class B AIS Transceiver with Internal GPS Antenna, includes Navionics + Card.</b>			\$1,399.00
<b>SAS-300-2 : 7" Color LCD, 2w Class B AIS Transceiver with External GPS Antenna 10m cable, includes Navionics + Card</b>			\$1,489.00
<b>SAS-300-3 : 7" Color LCD AIS Display Only (For Interface to a pre-existing AIS Transceiver or Receiver) includes Navionics + Card</b>			\$750.00
<b>SAS-600: 6" Color LCD, Hi-Performance 5 watt SOTDMA Class B AIS w/ WIFI, NMEA-200, NMEA-0183, &amp; USB, Ext. GPS Ant. C-Map opt.</b>			\$1,599.00
<b>SAS-900: Class A Automatic Identification System transceiver features a compact Display AIS transponder unit with a high resolution 6" Color LCD, New Easy to operate User Interface. CLASS A AIS Transceiver (IMO APPROVED) meets IMO Standard MSC.74(69) Annex 4, also meets FCC, USCG, CCONR(Inland AIS), IC,TC standards. 72 channel GPS receiver with external antenna, Data outputs for radar, chart plotter etc., NMEA 0183, RS-232, NMEA 2000, Long Range WIFI, 10.8 to 31.2 VDC. Easily Bracket or Flush mounts, Data cables, Power cable. Support software on CD, GPS Antenna w/ 10m Cable.,</b>			\$2,789.00
	Optional J-900 Junction Box for IMO/SOLAS Installations		\$425.00
<b>T-760 7" Series Color LCD Touch Screen Radar Systems</b>			List Price
<b>T-760</b>	7" Touch Screen Color LCD 4kW Radar with 18" Radome Antenna incl. 10m cable		\$1,999.00
<b>T-761</b>	7" Touch Screen Color LCD 4kW Radar with 24" Radome Antenna incl. 10m cable		\$2,999.00
<b>Options T-760 &amp; T-761 Series Radars</b>			
15 meter Interconnect Cable Upgrade (p/n CFQ9924-15)		Add	\$100.00
20 meter Interconnect Cable Upgrade		Add	\$150.00
30 meter Interconnect Cable Upgrade		Add	\$200.00
<b>T760MBL</b>	Overhead Mount Bracket		\$39.95
<b>7ZCRD1689</b>	NMEA Interface Cable		\$70.00
<b>NQA2447-100</b>	VGA Output Kit		\$175.00
<b>Stand Alone T-900 8.5" Series Color LCD Digital Dual Range / Dual Speed RADAR Systems</b>			List Price
All models Includes AIS interface module and data cable CW-376-5M, 10 meter antenna cable			List Price
<b>T-941A</b>	8.5" Color LCD Radar, 4kW output, 1/16NM to 36NM range, 25" dual speed Radome		\$2,999.00
<b>T-940A-3</b>	8.5" Color LCD Radar, 4kW output, 1/16NM to 48NM range, 3.5 ft. dual spd. Open		\$4,799.00
<b>T-940A-4</b>	8.5" Color LCD Radar, 4kW output, 1/16NM to 48NM range, 4.5 ft. dual spd. Open		\$4,999.00


**Retail Price List - Effective August 1, 2019**

<b>Stand Alone T-2000 10.4" Series Color LCD Digital Dual Range / Dual Speed RADAR Systems</b>		
All models Includes AIS Interface, Auto Tracking Aid and Data cables CW-376-5M, 10 meter antenna cable		List Price
<b>T-2041A</b>	10.4" Color LCD Radar, 4kW output, 1/8NM to 36NM range, 25" dual spd. Radome	\$4,299.00
<b>T-2040A-3</b>	10.4" Color LCD Radar, 4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,099.00
<b>T-2040A-4</b>	10.4" Color LCD Radar, 4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,299.00
<b>T-2060A-4</b>	10.4" Color LCD Radar, 6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$7,599.00
<b>T-2060A-6</b>	10.4" Color LCD Radar, 6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,099.00
<b>T-2010A-4</b>	10.4" Color LCD Radar, 12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,499.00
<b>T-2010A-6</b>	10.4" Color LCD Radar, 12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,999.00
<b>T-900 &amp; T-2000 SERIES RADAR OPTIONS &amp; ACCESSORIES</b>		
		List Price
<b>MRE-340</b>	Automatic Tracking Aid (ATA) PCB for T940/941. (CW-376-5M & HDK-11 required)	\$349.00
<b>CW-561-10</b>	Interconnect cable to connect remote display to main unit (Includes two 10-pin plugs & 33' cable)	\$299.00
<b>Optional Extended Antenna Cable Lengths for T-900 &amp; T2000 Series (Standard cables are 33')</b>		
49' Interconnect Cable Upgrade		Add \$100.00
65' Interconnect Cable Upgrade		Add \$200.00
100' Interconnect Cable Upgrade		Add \$400.00
<b>Digital Indicators</b>		
<b>SST-110 Sea Water Temperature Indicator</b>		List Price
<b>SST-110</b>	SST-110 Sea Water Temperature Indicator Only (no transducer)	\$329.00
<b>SST-110TM</b>	SST-110 Sea Water Indicator with transom mount temperature probe	\$388.95
<b>SST-110TS</b>	SST-110 Sea Water Indicator with bronze thru-hull mount temperature probe	\$428.95
<b>SST-110 Temperature Sensors</b>		
<b>TM200-30</b>	Transom mount temperature probe (30K Ohm)	\$59.95
<b>TS200-30</b>	Thru-hull Bronze temperature probe (30K Ohm) 5/16" Dia.	\$99.95
<b>TS-SS-200-30</b>	Thru-hull Stainless Commercial thru-hull Temperature probe (30K Ohm) 5/16" Dia.	\$179.95
<b>SDD-110 Digital Depth Indicator, 120 kHz, deep water digital sounder.</b>		List Price
<b>SSD-110</b>	SDD-110 Seawater Depth Indicator Only (No Transducer)	\$349.00
<b>SDD-110TM</b>	SDD-110 w/ 250/120 Transom Mount Transducer 120khz, 38' deg. beam angle	\$479.00
<b>SDD-110FM-P</b>	SDD-110 w/ 408/120 2" Lexan Low Profile Thru-hull 120khz, 38' deg. beam angle	\$459.00
<b>SDD-110FM-B</b>	SDD-110 w/ 408/120 2" Bronze Low Profile Thru-hull 120khz, 38' deg beam angle	\$599.00
<b>SDD-110TH-B</b>	SDD-110 w 1700/120 Bronze Thru Hull Transducer 120khz, 38' deg. beam angle	\$489.00
<b>KRD-10</b>	Color LCD NMEA-0183 Repeater - 18 Different selectable display screens	\$499.00
<b>SP-110 AUTOPILOT SYSTEMS</b>		List Price
<b>SP-110 Virtual Feedback Systems</b>		
<b>SP110VF-1</b>	SP110 System with Virtual Feedback, No Drive Unit	\$1,549.00
<b>SP110VF-2</b>	SP110 System with Virtual Feedback & 9CI reversing Hyd. Pump	\$1,949.00
<b>SP110C-VF-1</b>	SP110 Color System w/ 9 Axis Compass, Virtual Feedback, No Drive Unit	\$1,799.00
<b>SP110C-VF-2</b>	SP110 Color System w/ 9 Axis Compass, Virtual Feedback & 9CI reversing Hyd. Pump	\$2,199.00
<b>SP-110 Rudder Feedback Systems</b>		
<b>SP110RF-1</b>	SP110 System with Rudder Feedback, No Drive Unit	\$1,799.00
<b>SP110RF-2</b>	SP110 System with Rudder Feedback & 9CI reversing Hyd. Pump	\$2,199.00
<b>SP110RF-3</b>	SP110 System with Rudder Feedback & "Type S" Mechanical Dash Drive	\$2,699.00
<b>SP110RF-4</b>	SP110 System with Rudder Feedback & "Type T" Mechanical Dash Drive	\$2,799.00
<b>SP110RF-5</b>	SP110 System with RFB & Remote Mechanical Drive - 1994+ Mercury IO / Volvo Gas	\$2,948.00
<b>SP110RF-6</b>	SP110 System with RFB & Remote Mechanical Drive - 1983-93 Mercury IO / Volvo Diesel	\$2,948.00
<b>SP110RF-7</b>	SP110 System with RFB & Remote Mechanical Drive - Yamaha Outboards 70 hp +	\$2,948.00
<b>SP110RF-8</b>	SP110 System w/ RFB & Remote Mechanical Drive - Mercury, Mariner, Suzuki Outboards	\$2,948.00
<b>SP110RF-9</b>	SP110 System with RFB & Remote Mechanical Drive - Inboard Engines	\$2,948.00
<b>SP110C-RF-1</b>	SP110 Color System w/ 9 Axis Compass, Rudder Feedback, No Drive Unit	\$2,049.00
<b>SP110C-RF-2</b>	SP110 Color System w/ 9 Axis Compass, Rudder Feedback & 9CI reversing Hyd. Pump	\$2,449.00
<b>SP110C-RF-3</b>	SP110 Color System w/ 9 Axis Compass, Rudder Feedback & "Type S" Dash Drive	\$2,949.00
<b>SP110C-RF-4</b>	SP110 Color System w/ 9 Axis Compass, Rudder Feedback & "Type T" Dash Drive	\$3,049.00
<b>SP110C-RF-5</b>	SP110 Color System w/ 9 Axis Compass, RFB & Remote Drive 1994+ Mercury IO / Volvo	\$3,198.00
<b>SP110C-RF-6</b>	SP110 Color System w/ 9 Axis Compass, Remote Drive 1983-93 Mercury IO / Volvo Diesel	\$3,198.00
<b>SP110C-RF-7</b>	SP110 Color System w/ 9 Axis Compass, RFB & Remote Drive - Yamaha Outboards 70+ HP	\$3,198.00
<b>SP110C-RF-8</b>	SP110 Color System w/ 9 Axis Compass, Remote Drive -Mercury, Mariner, Suzuki Outboards	\$3,198.00
<b>SP110C-RF-9</b>	SP110 Color System w/ 9 Axis Compass, RFB & Remote Drive - Inboard Engines	\$3,198.00

<b>SITEX</b>		<b>Retail Price List - Effective August 1, 2019</b>	
<b>SP-110 Mechanical Sail Drive Systems w/ RFB</b>			
<b>SP110SD-1</b>	SP-110 System w/ RFB & Remote Mechanical Drive - 8.5" Stroke - 13,200 lbs Disp. (32ft)		\$2,948.00
<b>SP110SD-2</b>	SP-110 System w/ RFB & Remote Mechanical Drive - 12" Stroke - 15,400 lbs Disp. (38ft)		\$3,199.00
<b>SP-110 Autopilot System Accessories</b>			
<b>SP110ASS</b>	SP-110 Replacement Control Head		\$1,000.00
<b>SP110EC</b>	SP-110 Replacement Rate Compass		\$400.00
<b>RFUS110</b>	SP-110 Rotary Rudder Feedback Unit		\$400.00
<b>RFULINASS</b>	Rotary Feedback Linkage Kit		\$110.00
<b>CABGPS110</b>	NMEA-0183 Data Input/Output Cable for Virtual Feedback Installations		\$100.00
<b>CAB47RFU</b>	RFU Interface Box w/ NMEA-0183 Connections for Mechanical Drive Rudder Feedback Units		\$150.00
<b>SP-70 &amp; SP-80 Autopilot Systems</b>			List Price
<b>SP-70-1</b>	System with Rotary Rudder Feedback for inboards, No Drive Unit		\$1,999.00
<b>SP-70-2</b>	System with Linear Rudder Feedback for outboards, No Drive Unit		\$2,199.00
<b>SP-70 Systems with Mechanical Drives</b>			
<b>SP-70-7</b>	Type "S" Mechanical Dashboard Drive w/ Built-in Rudder Feedback		\$2,999.00
<b>SP-70-8</b>	Type "T" Mechanical Dashboard Drive w/ Built-in Rudder Feedback		\$3,099.00
<b>SP-70-9</b>	Type "R" Remote Mechanical Drive w/ Built-in Rudder Feedback		\$3,399.00
<b>SP-80 Autopilot Systems</b>			
<b>SP-80-1</b>	System with Rotary Rudder Feedback for inboards, No Drive Unit		\$1,999.00
<b>SP-80-2</b>	System with Linear Rudder Feedback for outboards, No Drive Unit		\$2,199.00
<b>SP-80 Systems with Mechanical Drives</b>			
<b>SP-80-7</b>	Type "S" Mechanical Dashboard Drive w/ Built-in Rudder Feedback		\$2,999.00
<b>SP-80-8</b>	Type "T" Mechanical Dashboard Drive w/ Built-in Rudder Feedback		\$3,099.00
<b>SP-80-9</b>	Type "R" Remote Mechanical Drive w/ Built-in Rudder Feedback		\$3,399.00
<b>Hydraulic Pumps &amp; Drives</b>			
<b>OCTAFG6012</b>	9CI Reversing Pumpset, 12 VDC		\$425.00
<b>81167</b>	18CI Hydraulic pump, 12 VDC		\$500.00
<b>81783</b>	30CI Hydraulic pump, 12 VDC		\$600.00
<b>OCTAFCRA0212</b>	30CI Constant Running Pumpset, 12VDC, (Includes Flow Control & Pressure Gauge)		\$2,295.00
<b>OCTAF1212LAM12</b>	Hydraulic Linear Sailboat Drive - 12" Stroke (Up to 60ft or 33,000 Lbs)		\$1,899.00
<b>SP-70/80 Autopilot Accessories</b>			
<b>20080009</b>	SP-70 Control head only		\$450.00
<b>20080011</b>	SP-80 Control head only		\$475.00
<b>10080034</b>	SP-70 Remote station kit - 30' Bulkhead connection cable kit only		\$100.00
<b>10080035</b>	SP-70 Second station kit, Includes SP70 Control Head w/30' bulkhead connection		\$525.00
<b>10080038</b>	SP-80 Second station kit with 25' cable		\$625.00
<b>65610010</b>	Mounting clip for SP-70 Control head		\$29.95
<b>30080003</b>	SP-70/80 Processor Black Box		\$1,200.00
<b>20320003</b>	Fluxgate compass with 50ft Cable		\$500.00
<b>20320002</b>	Compass Pick-off Sensor		\$300.00
<b>20330008</b>	Inboard rotary rudder feedback with 50ft Cable		\$500.00
<b>20330007</b>	Inboard rotary rudder feedback linkage kit		\$120.00
<b>20330017</b>	Teleflex Smartstick Linear Feedback includes RFB interface module		\$600.00
<b>20330016</b>	Teleflex Smartstick RFB Interface module		\$100.00
<b>SRA-1</b>	Rudder Angle Indicator for SP-70 and SP-80		\$525.00
<b>66553</b>	SRA-1 bezel kit		\$35.00





## Retail Price List - Effective August 1, 2019

SP-38 Color LCD Autopilot Systems		List Price
<b>SP-38 Inboard Packages without Pumps</b>		
SP38-2	Core Pack including Flux Gate Compass & Rotary feedback, No pump	\$3,899.00
SP38-3	Core Pack including Compass pick-off Sensor & Rotary Feedback, No pump	\$3,649.00
SP38-4	Core Pack including Rotary feedback only, No compass, No pump	\$3,379.00
SP38-17	Core Pack Only, No Rotary feedback, No compass, No pump	\$2,699.00
SP38-18	Core Pack including Compact GPS Compass & Rotary feedback, No pump	\$4,499.00
SP38-19	Core Pack Virtual feedback System includes Compact GPS Compass, No Pump	\$3,799.00
<b>Autopilot Accessories</b>		
20110013	Second station kit, SP36 w/ 25' cable	\$1,699.00
31110037	SP-36 Control Head Interconnect Cable - 25ft	\$239.00
20350008	SP-36 - CT7 Thruster/Z-Drive Interface Processor	\$1,399.00
20310025	TS203 Full Follow Up Remote Lever for SP36 Pilot System w/ 40 ft of Cable	\$1,200.00
20310002	NFU Jog Switch with single set of switches	\$450.00
20350001	CT-2 Motor Controller for use with NFU Jog lever and a reversing Hyd. Pump	\$900.00
TS38	Full followup remote 6M cable	\$1,095.00
NF38	Non followup remote 6M cable	\$1,095.00
30110006	SP36 YOKE Mount kit for control head	\$59.00
30110022	SP36 Flush Mount kit for control head	\$37.00
30110023	SP36 Surface Mount kit for control head	\$37.00
30110019	Plastic Sun Cover for SP36 Control Head	\$37.00
<b>Hydraulic Pumps &amp; Drives</b>		
OCTAFG6012	9 Cubic Inch reversing pumpset, 12 VDC	\$425.00
81167	18 Cubic Inch reversing pumpset, 12 VDC (Adjustable flow from 10 to 18 cubic inch)	\$500.00
81783	30 Cubic Inch reversing pumpset, 12 VDC (Adjustable flow from 18 to 30 cubic Inch)	\$600.00
OCTAFCRA0212	30 C.I. Constant Running Pumpset, 12VDC, (Include. Adj. flow control & pressure gauge)	\$2,295.00
OCTAF1212LAM12	Hydraulic Linear Sailboat Drive - 12" Stroke (Up to 60ft or 33,000 Lbs)	\$1,899.00
<b>General Autopilot Accessories</b>		List Price
SRS-100	Universal Wireless Jog Control System. Can be added to most any autopilot system	\$319.00
OC17SUK42	30" Hyd. Hose & Fittings Kit for Teleflex Seastar Steering - Incl. all Hyd. Fittings	\$179.00
OC17SUK34	Verado Power Steering Installation Kit Including All Hoses	\$299.00
223346R2	12vdc Variable Flow Solenoid Valve System	\$999.00
OC17SUK19	12VDC / 24VDC Constant Flow Solenoid Valve System for Power Steering Systems	\$799.00
OC17SUK03	Unbalanced Hydraulic Ram Compensator Valve	\$169.00
OC15SUK27A	Rudder Feedback for Mechanical Drive units	\$239.00
OC15SUK27E	Rudder Feedback for Mechanical Drive units for the SP-110	\$239.00
OC15SUK16	3/4" Black Anodized Aluminum Spacer Rings for Dash Drives	\$139.00
OCTSIMDMSRW	Type "S" Mechanical Dashboard Drive w/ Rudder Feedback, 90 deg. Bezel Kit, Cable adapters	\$999.00
OCTSIMDTPRW	Type "T" Mechanical Dashboard Drive for tilt wheels w/ Built-in Rudder Feedback,w/ Cable adapters	\$1,099.00
OCTAFMDRESYS*	Type "R" Mechanical Remote Drive units for I/O and inboard installations includes rudder feedback unit (*Specify whether A,B,C,D or E versions from Autopilot Drive Brochure)	\$1,399.00
OCTAFMDRSSYS	Mechanical Linear Sailboat Drive - 12" Stroke (Up to 38ft or 15,400 Lbs)	\$1,659.00



## Retail Price List - Effective August 1, 2019

Replacement Transducers										
Part#	Power	Beam Angle	Housing	Mount	Plug	Cable	Temp	Speed	For SI-TEX Model	List Price
<b>Single Frequency 120 kHz</b>										
250/120	300W	38°	Plastic	TM	8-pin	30'	No	No	SDD-110 Digital Depth	\$130.00
1700/120	300W	38°	Bronze	TH	8-pin	30'	No	No	SDD-110 Digital Depth	\$140.00
408P/120	300W	38°	Plastic	FM	8-pin	30'	No	No	SDD-110 Digital Depth	\$110.00
408BR/120	300W	38°	Bronze	FM	8-pin	30'	No	No	SDD-110 Digital Depth	\$250.00
250/120ST	300W	15°	Plastic	TM	8-pin	30'	Yes	Yes	CVS106,106MkII,106L,106LMkII	\$130.00
1700/120T8P	600W	15°	Bronze	TH	8-pin	30'	Yes	No	CVS106,106MkII,106L,106LMkII	\$150.00
<b>Single Frequency 200 kHz</b>										
250/200ST	300W	9°	Plastic	TM	8-pin	30'	Yes	Yes	CVS106MKIIA, Profish III	\$150.00
1700/200T8P	300W	9°	Bronze	TH	8-pin	30'	Yes	No	CVS106MKIIA, Profish III	\$160.00
<b>Dual Frequency 50/200 kHz</b>										
492/50/200ST-ES	500W	42° @ 50kHz 12° @ 200kHz	Plastic	TM	8-pin	30'	30'	Yes	EC5F, EC7F, ES502	\$150.00
494/50/200-ES	500W	45° @ 50kHz 12° @ 200kHz	Plastic	IH	8-pin	30'	No	No	EC5F, EC7F, ES502	\$135.00
496/50/200ST-ES	500W	45° @ 50kHz 12° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	EC5F, EC7F, ES502	\$425.00
189/50/200T-ES	1kW	14°x23° @ 50kHz 3°x5° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$800.00
B-60-0-ES for 0° to 7° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$280.00
B-60-12-ES for 8° to 15° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$280.00
B-60-20-ES for 16° to 24° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$280.00
250/50/200ST	600W	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	CVS106MKIIDF,106L,106LMkII, 832, 833	\$140.00
250C/50/200ST	1kW	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	CVS832C,833C	\$200.00
1700/50/200T	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	CVS106MKIIDF,106L,106LMkII,832	\$160.00
300/50/200T	600W	43° @ 50kHz 9° @ 200kHz	Bronze	TH	Two 8-pin	30'	Yes	No	CVS208/209	\$250.00
307/50/200T	1kW	22°x45° @ 50kHz 6°x11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	CVS832, 832C, 833, 833C	\$270.00
500/50/200ST	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	CVS106MKIIDF,106L,106LMkII, 832, 833	\$300.00
706/50/200T	1kW	14°x20° @ 50kHz 7° @ 200kHz	Bronze	TH	Two 8-pin	30'	Yes	No	CVS208/209/210/211	\$700.00
250/50/200ST-CX	600W	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126,128	\$150.00
1700/50/200T-CX	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	SVS-560,760,880,1010 CVS-126,128	\$170.00
B45/50/200T-CX (Incl. Hi-Spd Bloc)	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	SVS-560,760,880,1010 CVS-126,128	\$250.00
307/50/200T-CX	600W	22°x45° @ 50kHz 6°x11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	SVS-560,760,880,1010 CVS-126,128	\$270.00
500/50/200ST-CX	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126,128	\$300.00
B744V-CX w/Hi-Speed Fairing Block	600W	45° @ 50kHz 12° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126,128	\$380.00
B-60-0-CX for 0° to 7° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$280.00
B-60-12-CX for 8° to 15° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$280.00
B-60-20-CX for 16° to 24° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$280.00
250C/50/200ST-CX	1kW	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126,128	\$200.00
707/50/200T-CX	1kW	14°x21° @ 50kHz 3°x5° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	CVS128 & CVS-1410 (For Deep Water)	\$500.00
B-164-0-CX for 0° to 7° deadrise	1kW	22° @ 50kHz 6° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$899.00
B-164-12-CX for 8° to 15° deadrise	1kW	22° @ 50kHz 6° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$899.00
B-164-20-CX for 16° to 24° deadrise	1kW	22° @ 50kHz 6° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$899.00

<b>SI-TEX</b>		<b>Retail Price List - Effective August 1, 2019</b>	
<b>Transducer/Sounder/GPS Accessories</b>			<b>List Price</b>
<b>Digital A Cable</b>	Adapts ALL CVS106 50/200 txd's with 8-pin round connector to SVS & CVS Series		\$49.95
<b>Digital A Cable-3</b>	Adapts old style 3 pin Fuji connector to 8 pin Conxall		\$49.95
<b>Digital F Cable</b>	Converts Furuno transducers with 10 pin connector to SVS & CVS Series Sounders.		\$129.95
<b>1700FB</b>	White plastic fairing block for 1700 series transducers		\$50.00
<b>TM231</b>	Transom Bracket for 231/200, 231/50, HTM200, and all "236" "250" Series Txd.		\$14.95
<b>TS200</b>	Bronze thru-hull temp sensor for retrofit, 30' cable for 5 pin plugs		\$89.95
<b>5223-1</b>	Paddle wheel kit for 400/500 series transducers		\$19.95
<b>401-1</b>	25' transducer cable with 8-pin plug to 5-pin & 3-pin plug for 400 series transducers		\$99.95
<b>400-25</b>	Speed temp insert for 400 series transducers		\$74.95
<b>810-15</b>	15' extension cable with 8-pin plugs, for all 8-pin transducers (except active transducers)		\$49.95
<b>810-30</b>	30' extension cable with 8-pin plugs, for all 8-pin transducers (except active transducers)		\$59.95
<b>810-15-CX</b>	15' extension cable with 8-pin conxall plugs		\$74.95
<b>810-30-CX</b>	30' extension cable with 8-pin conxall plugs		\$119.95
<b>PU-634</b>	2 Pin Power Cord for ALL versions of CVS-106, CVS-833, Profish II		\$19.95
<b>SIC-21</b>	Data Interface Cable CVS-106, CVS-106Mk II, CVS-833, Profish II		\$24.95
<b>CN070</b>	6 pin interface plug		\$9.95
<b>CBC0FS0301</b>	3 Pin ColorMax 15 Power Cord		\$29.95
<b>SI-TEX Marine Electronics</b>			
<b>Office hours 9am to 5pm EST Monday thru Friday</b>			
<b>Office Telephone (631) 996-2690</b>		<b>E-Mail: <a href="mailto:orders@si-tex.com">orders@si-tex.com</a></b>	<b>Office Fax (631) 996-2693</b>